



CERTIFICATE OF COMPLIANCE

<p><u>PRODUCT COVERED BY THIS CERTIFICATE:</u></p>	<p>Item Number/Name: 5638 Description: 29oz. Tritan Tumbler</p>																
<p><u>RULE(S), BAN(S), STANDARD(S), REGULATION(S) COVERED BY THIS CERTIFICATION:</u></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #e0e0e0;"> <th style="text-align: left; padding: 2px;">CONCLUSION</th> <th style="text-align: left; padding: 2px;">TEST(S) CONDUCTED</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">CPSIA Section 101, Total Lead in Substrate Materials</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">Client's Requirement: Bisphenol A and Bisphenol S[#]</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1210, Closures with Sealing Gaskets[#]</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1520, Polyethylene</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1520, Polypropylene Homopolymers</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1630, Polyethylene Phthalate Polymers</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation (SOR/2010-273), Total Lead in Accessible Substrates</td> </tr> </tbody> </table>	CONCLUSION	TEST(S) CONDUCTED	PASS	CPSIA Section 101, Total Lead in Substrate Materials	PASS	Client's Requirement: Bisphenol A and Bisphenol S [#]	PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets [#]	PASS	FDA 21 CFR 177.1520, Polyethylene	PASS	FDA 21 CFR 177.1520, Polypropylene Homopolymers	PASS	FDA 21 CFR 177.1630, Polyethylene Phthalate Polymers	PASS	Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation (SOR/2010-273), Total Lead in Accessible Substrates
CONCLUSION	TEST(S) CONDUCTED																
PASS	CPSIA Section 101, Total Lead in Substrate Materials																
PASS	Client's Requirement: Bisphenol A and Bisphenol S [#]																
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets [#]																
PASS	FDA 21 CFR 177.1520, Polyethylene																
PASS	FDA 21 CFR 177.1520, Polypropylene Homopolymers																
PASS	FDA 21 CFR 177.1630, Polyethylene Phthalate Polymers																
PASS	Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation (SOR/2010-273), Total Lead in Accessible Substrates																
<p><u>COMPANY CERTIFYING COMPLIANCE:</u></p>	<p>Hit Promotional Products 7150 Bryan Dairy Road, Largo, FL 33777 (727) 541-5561</p>																
<p><u>PERSON RESPONSIBLE FOR MAINTAINING TEST RECORDS:</u></p>	<p>Hit Promotional Products Product Safety Compliance 7150 Bryan Dairy Road Largo, FL 33777 (727) 541-5561 compliance@hitpromo.net</p>																
<p><u>DATE AND PLACE OF MANUFACTURE</u></p>	<p>Date: 07/2016 Place: Ningbo, China</p>																
<p><u>TESTING INFORMATION:</u></p>	<p>3rd Party Testing Conducted By : Anseco Group (HK) Limited 14/F, Yoo Hoo Tower 38-42 Kwai Fung Crescent Kwai Chung, N.T., Hong Kong 852-3185 8000</p> <p>Date of Test: 06/24/2016 Date of GCC: 06/24/2016 Test Report Number: 16H-03431</p>																