



## CERTIFICATE OF COMPLIANCE

<b><u>PRODUCT COVERED BY THIS CERTIFICATE:</u></b>	<b>Item Number/Name:</b> 5714 <b>Description:</b> 14oz Stainless Steel Double Wall Tumbler												
<b><u>RULE(S), BAN(S), STANDARD(S), REGULATION(S) COVERED BY THIS CERTIFICATION:</u></b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th style="text-align: left; padding: 2px;">CONCLUSION</th> <th style="text-align: left; padding: 2px;">TEST(S) CONDUCTED</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">CPSIA Section 101 &amp; 16 CFR 1303, Total Lead in Paints &amp; Surface Coatings</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">CPSIA Section 101, Total Lead in Substrate Materials</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">Client's Requirement: Bisphenol A<sup>#</sup></td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers<sup>#</sup></td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1520, Polypropylene Copolymers</td> </tr> </tbody> </table>	CONCLUSION	TEST(S) CONDUCTED	PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints & Surface Coatings	PASS	CPSIA Section 101, Total Lead in Substrate Materials	PASS	Client's Requirement: Bisphenol A <sup>#</sup>	PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers <sup>#</sup>	PASS	FDA 21 CFR 177.1520, Polypropylene Copolymers
CONCLUSION	TEST(S) CONDUCTED												
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints & Surface Coatings												
PASS	CPSIA Section 101, Total Lead in Substrate Materials												
PASS	Client's Requirement: Bisphenol A <sup>#</sup>												
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers <sup>#</sup>												
PASS	FDA 21 CFR 177.1520, Polypropylene Copolymers												
<b><u>COMPANY CERTIFYING COMPLIANCE:</u></b>	Hit Promotional Products 7150 Bryan Dairy Road, Largo, FL 33777 (727) 541-5561												
<b><u>PERSON RESPONSIBLE FOR MAINTAINING TEST RECORDS:</u></b>	Bill Schmidt, Jr Hit Promotional Products Product Safety Compliance 7150 Bryan Dairy Road Largo, FL 33777 (727) 541-5561 <a href="mailto:compliance@hitpromo.net">compliance@hitpromo.net</a>												
<b><u>DATE AND PLACE OF MANUFACTURE</u></b>	<b>Date:</b> 08/2014 <b>Place:</b> Ningbo, China												
<b><u>TESTING INFORMATION:</u></b>	<b>3<sup>rd</sup> Party Testing Conducted By :</b> Anseco Group (HK) Limited 14/F, Yoo Hoo Tower 38-42 Kwai Fung Crescent Kwai Chung, N.T., Hong Kong 852-3185 8000  <b>Date of Test:</b> 07/29/2014 <b>Date of GCC:</b> 07/29/2014 <b>Test Report Number:</b> 14H-01911												