



CERTIFICATE OF COMPLIANCE

<p><u>PRODUCT COVERED BY THIS CERTIFICATE:</u></p>	<p>Item Number/Name: 5810 Description: 16oz. Double Wall Aria Tumbler</p>														
<p><u>RULE(S), BAN(S), STANDARD(S), REGULATION(S) COVERED BY THIS CERTIFICATION:</u></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #e0e0e0;"> <th style="text-align: left; padding: 2px;">CONCLUSION</th> <th style="text-align: left; padding: 2px;">TEST(S) CONDUCTED</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">CPSIA Section 101, Total Lead in Substrate Materials</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">Client's Requirement, Bisphenol A and Bisphenol S[#]</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1210, Closures with Sealing Gaskets[#]</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1520, Polypropylene Homopolymers</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers</td> </tr> <tr> <td style="text-align: center; padding: 2px;">PASS</td> <td style="padding: 2px;">Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation SOR/2010-273 as Amended by SOR/2016-171, Total Lead in Accessible Substrates</td> </tr> </tbody> </table>	CONCLUSION	TEST(S) CONDUCTED	PASS	CPSIA Section 101, Total Lead in Substrate Materials	PASS	Client's Requirement, Bisphenol A and Bisphenol S [#]	PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets [#]	PASS	FDA 21 CFR 177.1520, Polypropylene Homopolymers	PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers	PASS	Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation SOR/2010-273 as Amended by SOR/2016-171, Total Lead in Accessible Substrates
CONCLUSION	TEST(S) CONDUCTED														
PASS	CPSIA Section 101, Total Lead in Substrate Materials														
PASS	Client's Requirement, Bisphenol A and Bisphenol S [#]														
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets [#]														
PASS	FDA 21 CFR 177.1520, Polypropylene Homopolymers														
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers														
PASS	Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation SOR/2010-273 as Amended by SOR/2016-171, Total Lead in Accessible Substrates														
<p><u>COMPANY CERTIFYING COMPLIANCE:</u></p>	<p>Hit Promotional Products 7150 Bryan Dairy Road, Largo, FL 33777 (727) 541-5561</p>														
<p><u>PERSON RESPONSIBLE FOR MAINTAINING TEST RECORDS:</u></p>	<p>Hit Promotional Products Product Safety Compliance 7150 Bryan Dairy Road Largo, FL 33777 (727) 541-5561 compliance@hitpromo.net</p>														
<p><u>DATE AND PLACE OF MANUFACTURE</u></p>	<p>Date: 08/2017 Place: Ningbo, China</p>														
<p><u>TESTING INFORMATION:</u></p>	<p>3rd Party Testing Conducted By : Anseco Group (HK) Limited 14/F, Yoo Hoo Tower 38-42 Kwai Fung Crescent Kwai Chung, N.T., Hong Kong 852-3185 8000</p> <p>Date of Test: 07/10/2017 Date of GCC: 07/10/2017 Test Report Number: 17H-004979</p>														