

## CERTIFICATE OF COMPLIANCE

PRODUCT COVERED BY THIS CERTIFICATE:	Item Number/Name: 5847 Description: 16oz. Kaleidoscope Tumbler	
RULE(S), BAN(S), STANDARD(S), REGULATION(S) COVERED BY THIS CERTIFICATION:	PASS PASS PASS PASS PASS PASS PASS	TEST(S) CONDUCTED  CPSIA Section 101, Total Lead in Substrate Materials  Client's Requirement: Bispheniol A  FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers  FDA 21 CFR 177.1520, Polypropylene Homopolymers  FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymer
COMPANY CERTIFYING COMPLIANCE:	Hit Promotional Products 7150 Bryan Dairy Road, Largo, FL 33777 (727) 541-5561	
PERSON RESPONSIBLE FOR MAINTAINING TEST RECORDS:	Bill Schmidt, Jr Hit Promotional Products Product Safety Compliance 7150 Bryan Dairy Road Largo, FL 33777 (727) 541-5561 compliance@hitpromo.net	
DATE AND PLACE OF MANUFACTURE	Date: 04/2015 Place: Ningbo, China	
TESTING INFORMATION:	3 <sup>rd</sup> Party Testing Conducted By: Anseco Group (HK) Limited 14/F, Yoo Hoo Tower 38-42 Kwai Fung Crescent Kwai Chung, N.T., Hong Kong 852-3185 8000  Date of Test: 03/11/2015 Date of GCC: 03/11/2015 Test Report Number: 14H-00323	