



## CERTIFICATE OF COMPLIANCE

<b><u>PRODUCT COVERED BY THIS CERTIFICATE:</u></b>	<b>Item Number/Name:</b> 5860 <b>Description:</b> 17oz. Diamond Double Wall Tumbler with Straw														
<b><u>RULE(S), BAN(S), STANDARD(S), REGULATION(S) COVERED BY THIS CERTIFICATION:</u></b>	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr style="background-color: #e0e0e0;"> <th style="padding: 2px;">CONCLUSION</th> <th style="padding: 2px;">TEST(S) CONDUCTED</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">CPSIA Section 101, Total Lead in Substrate Materials</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">Client's Requirement: Bisphenol A*</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers<sup>†</sup></td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1520, Polypropylene Homopolymers</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.2600, Rubber Articles Intended for Repeated Use</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers</td> </tr> </tbody> </table>	CONCLUSION	TEST(S) CONDUCTED	PASS	CPSIA Section 101, Total Lead in Substrate Materials	PASS	Client's Requirement: Bisphenol A*	PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers <sup>†</sup>	PASS	FDA 21 CFR 177.1520, Polypropylene Homopolymers	PASS	FDA 21 CFR 177.2600, Rubber Articles Intended for Repeated Use	PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers
CONCLUSION	TEST(S) CONDUCTED														
PASS	CPSIA Section 101, Total Lead in Substrate Materials														
PASS	Client's Requirement: Bisphenol A*														
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers <sup>†</sup>														
PASS	FDA 21 CFR 177.1520, Polypropylene Homopolymers														
PASS	FDA 21 CFR 177.2600, Rubber Articles Intended for Repeated Use														
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers														
<b><u>COMPANY CERTIFYING COMPLIANCE:</u></b>	Hit Promotional Products 7150 Bryan Dairy Road, Largo, FL 33777 (727) 541-5561														
<b><u>PERSON RESPONSIBLE FOR MAINTAINING TEST RECORDS:</u></b>	Bill Schmidt, Jr Hit Promotional Products Product Safety Compliance 7150 Bryan Dairy Road Largo, FL 33777 (727) 541-5561 <a href="mailto:compliance@hitpromo.net">compliance@hitpromo.net</a>														
<b><u>DATE AND PLACE OF MANUFACTURE</u></b>	<b>Date:</b> 08/2015 <b>Place:</b> Ningbo, China														
<b><u>TESTING INFORMATION:</u></b>	<b>3<sup>rd</sup> Party Testing Conducted By :</b> Anseco Group (HK) Limited 14/F, Yoo Hoo Tower 38-42 Kwai Fung Crescent Kwai Chung, N.T., Hong Kong 852-3185 8000  <b>Date of Test:</b> 07/15/2015 <b>Date of GCC:</b> 07/15/2015 <b>Test Report Number:</b> 15H-03071														