



CERTIFICATE OF COMPLIANCE

| <p><u>PRODUCT COVERED BY THIS CERTIFICATE:</u></p> | <p>Item Number/Name: 5938 Description: 15 oz Double Wall Tumbler</p> | | | | | | | | | | | | | | | | |
|---|--|------------|-------------------|------|--|------|--|------|---|------|-----------------------------------|------|---|------|--|------|---|
| <p><u>RULE(S), BAN(S), STANDARD(S), REGULATION(S) COVERED BY THIS CERTIFICATION:</u></p> | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #cccccc;"> <th style="text-align: left; padding: 2px;">CONCLUSION</th> <th style="text-align: left; padding: 2px;">TEST(S) CONDUCTED</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">CPSIA Section 101, Total Lead in Substrate Materials</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">Client's Requirement: Bisphenol A[#]</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers[#]</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1520, Polyethylene</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1520, Polypropylene Copolymers</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1630, Polyethylene Phthalate Polymers</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1640, Polystyrene[#]</td> </tr> </tbody> </table> | CONCLUSION | TEST(S) CONDUCTED | PASS | CPSIA Section 101, Total Lead in Substrate Materials | PASS | Client's Requirement: Bisphenol A [#] | PASS | FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers [#] | PASS | FDA 21 CFR 177.1520, Polyethylene | PASS | FDA 21 CFR 177.1520, Polypropylene Copolymers | PASS | FDA 21 CFR 177.1630, Polyethylene Phthalate Polymers | PASS | FDA 21 CFR 177.1640, Polystyrene [#] |
| CONCLUSION | TEST(S) CONDUCTED | | | | | | | | | | | | | | | | |
| PASS | CPSIA Section 101, Total Lead in Substrate Materials | | | | | | | | | | | | | | | | |
| PASS | Client's Requirement: Bisphenol A [#] | | | | | | | | | | | | | | | | |
| PASS | FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers [#] | | | | | | | | | | | | | | | | |
| PASS | FDA 21 CFR 177.1520, Polyethylene | | | | | | | | | | | | | | | | |
| PASS | FDA 21 CFR 177.1520, Polypropylene Copolymers | | | | | | | | | | | | | | | | |
| PASS | FDA 21 CFR 177.1630, Polyethylene Phthalate Polymers | | | | | | | | | | | | | | | | |
| PASS | FDA 21 CFR 177.1640, Polystyrene [#] | | | | | | | | | | | | | | | | |
| <p><u>COMPANY CERTIFYING COMPLIANCE:</u></p> | <p>Hit Promotional Products 7150 Bryan Dairy Road, Largo, FL 33777 (727) 541-5561</p> | | | | | | | | | | | | | | | | |
| <p><u>PERSON RESPONSIBLE FOR MAINTAINING TEST RECORDS:</u></p> | <p>Bill Schmidt, Jr Hit Promotional Products Product Safety Compliance 7150 Bryan Dairy Road Largo, FL 33777 (727) 541-5561 compliance@hitpromo.net</p> | | | | | | | | | | | | | | | | |
| <p><u>DATE AND PLACE OF MANUFACTURE</u></p> | <p>Date: 10/2014 Place: Shanghai, China</p> | | | | | | | | | | | | | | | | |
| <p><u>TESTING INFORMATION:</u></p> | <p>3rd Party Testing Conducted By : Anseco Group (HK) Limited 14/F, Yoo Hoo Tower 38-42 Kwai Fung Crescent Kwai Chung, N.T., Hong Kong 852-3185 8000</p> <p>Date of Test: 09/26/2014 Date of GCC: 09/26/2014 Test Report Number: 14H-03003</p> | | | | | | | | | | | | | | | | |