



CERTIFICATE OF COMPLIANCE

<u>PRODUCT COVERED BY THIS CERTIFICATE:</u>	Item Number/Name: 5957 Description: 16 oz Clear Juicer Tumbler														
<u>RULE(S), BAN(S), STANDARD(S), REGULATION(S) COVERED BY THIS CERTIFICATION:</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #e0e0e0;"> <th style="text-align: left; padding: 2px;">CONCLUSION</th> <th style="text-align: left; padding: 2px;">TEST(S) CONDUCTED</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">CPSIA Section 101, Total Lead in Substrate Materials</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">Client's Requirement: Bisphenol A*</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers*</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1520, Polypropylene Homopolymers</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 177.1640, Polystyrene*</td> </tr> <tr> <td style="padding: 2px;">PASS</td> <td style="padding: 2px;">FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Butadiene/Styrene Copolymers</td> </tr> </tbody> </table>	CONCLUSION	TEST(S) CONDUCTED	PASS	CPSIA Section 101, Total Lead in Substrate Materials	PASS	Client's Requirement: Bisphenol A*	PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers*	PASS	FDA 21 CFR 177.1520, Polypropylene Homopolymers	PASS	FDA 21 CFR 177.1640, Polystyrene*	PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Butadiene/Styrene Copolymers
CONCLUSION	TEST(S) CONDUCTED														
PASS	CPSIA Section 101, Total Lead in Substrate Materials														
PASS	Client's Requirement: Bisphenol A*														
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers*														
PASS	FDA 21 CFR 177.1520, Polypropylene Homopolymers														
PASS	FDA 21 CFR 177.1640, Polystyrene*														
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Butadiene/Styrene Copolymers														
<u>COMPANY CERTIFYING COMPLIANCE:</u>	Hit Promotional Products 7150 Bryan Dairy Road, Largo, FL 33777 (727) 541-5561														
<u>PERSON RESPONSIBLE FOR MAINTAINING TEST RECORDS:</u>	Bill Schmidt, Jr Hit Promotional Products Product Safety Compliance 7150 Bryan Dairy Road Largo, FL 33777 (727) 541-5561 compliance@hitpromo.net														
<u>DATE AND PLACE OF MANUFACTURE</u>	Date: 03/2015 Place: Ningbo, China														
<u>TESTING INFORMATION:</u>	3rd Party Testing Conducted By : Aneco Group (HK) Limited 14/F, Yoo Hoo Tower 38-42 Kwai Fung Crescent Kwai Chung, N.T., Hong Kong 852-3185 8000 Date of Test: 02/05/2015 Date of GCC: 02/05/2015 Test Report Number: 14H-04509														