





TEST REPORT

Test Report # 16H-08109 Date of Report Issue: December 5, 2016

Date of Sample Received: November 28, 2016 Pages: Page 1 of 11

CLIENT INFORMATION:

Company: Hit Promotional Products

Recipient: Nathan Cotter

Recipient Email: ncotter@hitpromo.net

SAMPLE INFORMATION:

Description: 24oz. Shake-It-Up Bottle

Assortment: 5 colors Purchase Order Number: 188543

SKU No.: 5884 Agent: Growth-Sonic

Factory No.: 127959 Country of Origin: China

Country of Distribution: United States Labeled Age Grade: -

Quantity Submitted: 5 pcs per style Recommended Age Grade: -

Testing Period: 11/28/2016 – 12/05/2016 Tested Age Grade: -

OVERALL RESULT:

PASS

Refer to page 2 for test result summary and appropriate notes.

ANSECO GROUP (HK) LIMITED

Vincent Chow Wai Kit

Manager, Chemical Laboratory

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000



Test Report # 16H-08109 Pages: Page 2 of 11

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	Client's Requirement, Bisphenol A and Bisphenol S#
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets [#]
PASS	FDA 21 CFR 177.1520, Polypropylene Copolymers
PASS	FDA 21 CFR 177.1630, Polyethylene Phthalate Polymers
PASS	Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation SOR/2010-273 as Amended by SOR/2016-171, Total Lead in Accessible Substrates

Remark:

CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings and Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings were not conducted as no paint and similar surface coating found on received sample.

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-08109 Pages: Page 3 of 11

DETAILED RESULTS:

CPSIA Section 101, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2+3	4+5+6	7+8+9	10+11	12+13	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-08109 Pages: Page 4 of 11

DETAILED RESULTS:

Client's Requirement, Bisphenol A and Bisphenol S

Test Method: AI|ANSECO Method#

Analytical Method: Liquid Chromatography with Mass Spectrometry

Specimen	No.	1	2	3	9	
Test Item CAS No.	Result	Result	Result	Result	Limit	
rest item	CAS NO.	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	on	PASS	PASS	PASS	PASS	

Specimen	No.	10	11	12	13	
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclus	ion	PASS	PASS	PASS	PASS	

Note:

ppb (Parts per billion) = μg/kg (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-08109 Pages: Page 5 of 11

DETAILED RESULTS:

FDA 21 CFR 177.1210, Closures with Sealing Gaskets

Test Method: FDA 21 CFR 177.1210#

Specimen No.			2		
-	Test Condition		Danile	DI	l imain
Test Item	Temp.	Duration	Result	RL	Limit
Distilled water extractive (ppm)	Fill boiling, cool to 100°F	130 minutes	ND	10	50
Conclusion	Conclusion				

Specimen No.			3		
Test Item	Test Condition		Docult	DI	limaia
	Temp.	Duration	Result	RL	Limit
Distilled water extractive (ppm)	Fill boiling, cool to 100°F	130 minutes	ND	10	50
Conclusion			PASS		

Note:

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1210 Table 2 Section 2.

ANSECO GROUP (HK) LIMITED * 3/F Liven House * No. 61 – 63 King Yip Street * Kwun Tong * Kowloon * Hong Kong * Tel: (852)3185 8000



Test Report # 16H-08109 Pages: Page 6 of 11

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

Specimen No.			1		
To at these	Test Condition		Danielt	DI	Limit
Test Item	Temp.	Duration	Result	RL	Limit
Density (g/cc)	NA	NA	0.904	NA	0.85 – 1.00
n-Hexane extractive (% w/w)	50 °C	2 hours	0.6	0.4	5.5
Xylene extractive (% w/w)	25 °C	1 hour	1.6	1	30
Conclusion			PASS		

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% w/w = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

CS-HK-RE005-HITP

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

ANSECO GROUP (HK) LIMITED * 3/F Liven House * No. 61 – 63 King Yip Street * Kwun Tong * Kowloon * Hong Kong * Tel: (852)3185 8000

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Ver.06



Test Report # 16H-08109 Pages: Page 7 of 11

DETAILED RESULTS:

FDA 21 CFR 177.1630, Polyethylene Phthalate Polymers

Test Method: FDA 21 CFR 177.1630

Specimen No.			9		
Test Item	Test Condition		Decult	DI	Limit
	Temp.	Duration	Result	RL	Limit
Distilled water extractive (mg/in²)	250°F	2 hours	ND	0.1	0.5
n-Heptane extractive (mg/in²)	150°F	2 hours	ND	0.1	0.5
Conclusion			PASS		

Specimen No.			10		
Test Item	Test Condition		Daniela	DI	Limit
	Temp.	Duration	Result	RL	Limit
Distilled water extractive (mg/in²)	250°F	2 hours	ND	0.1	0.5
n-Heptane extractive (mg/in²)	150°F	2 hours	ND	0.1	0.5
Conclusion			PASS		

Specimen No.			11		
Test Item	Test Condition		Danile	DI	Limit
	Temp.	Duration	Result	RL	Limit
Distilled water extractive (mg/in²)	250°F	2 hours	ND	0.1	0.5
n-Heptane extractive (mg/in²)	150°F	2 hours	ND	0.1	0.5
Conclusion			PASS		

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1630 (f).

ANSECO GROUP (HK) LIMITED * 3/F Liven House * No. 61 – 63 King Yip Street * Kwun Tong * Kowloon * Hong Kong * Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-08109 Pages: Page 8 of 11

DETAILED RESULTS:

FDA 21 CFR 177.1630, Polyethylene Phthalate Polymers

Test Method: FDA 21 CFR 177.1630

Specimen No.			12		
Tost Itam	Test Condition		Danile	DI	Limit
Test Item	Temp.	Duration	Result	RL	LIMIL
Distilled water extractive (mg/in²)	250°F	2 hours	ND	0.1	0.5
n-Heptane extractive (mg/in²)	150°F	2 hours	ND	0.1	0.5
Conclusion			PASS		

Specimen No	13				
Test Item	Test Condition		Daguit	DI	Limit
	Temp.	Duration	Result	RL	Liffiit
Distilled water extractive (mg/in²)	250°F	2 hours	ND	0.1	0.5
n-Heptane extractive (mg/in²)	150°F	2 hours	ND	0.1	0.5
Conclusion	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

CS-HK-RE005-HITP

The specification is quoted from 21 CFR 177.1630 (f).

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Ver.06



Test Report # 16H-08109 Pages: Page 9 of 11

DETAILED RESULTS:

Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation SOR/2010-273 as Amended by SOR/2016-171, Total Lead in Accessible Substrates

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2+3	4+5+6	7+8+9	10+11	12+13	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-08109 Pages: Page 10 of 11

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location		
1	Black plastic (PP-co)	Lid (all styles)		
2	Black soft plastic (TPR)	Stopper (all styles)		
3	Translucent soft plastic (Silicone)	Gasket (all styles)		
4	Black plastic	Lid (all styles); cover of lid (smoke style)		
5	Red plastic	Cover of lid (red style)		
6	Orange plastic	Cover of lid (orange style)		
7	Green plastic	Cover of lid (green style)		
8	Blue plastic	Cover of lid (blue style)		
9	Transparent red plastic (Tritan)	Bottle (red style)		
10	Transparent orange plastic (Tritan)	Bottle (orange style)		
11	Transparent green plastic (Tritan)	Bottle (green style)		
12	Transparent blue plastic (Tritan)	Bottle (blue style)		
13	Transparent black plastic (Tritan)	Bottle (smoke style)		

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-08109 Pages: Page 11 of 11

SAMPLE PHOTO:



-End Report-

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000