

## TEST REPORT

Company: Hit Promotional Products  
Recipient: Nathan Cotter  
Recipient Email: ncotter@hitpromo.net  
cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
Date of Issue: May 26, 2016  
Pages: Page 1 of 14  
Date Received: May 18, 2016

### SAMPLE INFORMATION:

Description:	18oz & 24oz. Yard Cup w/Straw, 20oz & 46oz. Fish Bowl Cup with Straw, 3oz German Boot Cup		
Assortment:	-	Purchase Order Number:	-
SKU No.:	6001, 6002, 6004, 6005, 6003	Agent:	US Bev Plastics
Factory No.:	-	Country of Origin:	United States
Country of Distribution:	United States	Labeled Age Grade:	-
Quantity Submitted:	1 pc per style(2 pcs 3oz Boot Cup)+1 lot Parts	Recommended Age Grade:	-
Testing Period:	05/18/2016 – 05/26/2016	Tested Age Grade:	-

### OVERALL RESULT:

**PASS**

Refer to page 2 for test result summary and appropriate notes.

ANSECO GROUP (HK) LIMITED



Vincent Chow Wai Kit  
Manager, Chemical Laboratory

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: Hit Promotional Products  
Recipient: Nathan Cotter  
Recipient Email: ncotter@hitpromo.net  
cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
Date of Issue: May 26, 2016  
Pages: Page 2 of 14  
Date Received: May 18, 2016

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Client's Requirement: Bisphenol A and Bisphenol S <sup>#</sup>
PASS	FDA 21 CFR 175.300, Resinous and Polymeric Coatings <sup>#</sup>
PASS	FDA 21 CFR 177-189, Residual Vinyl Chloride Monomer <sup>#</sup>
PASS	FDA 21 CFR 177.1520, Polyethylene
PASS	Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation (SOR/2010-273), Total Lead in Accessible Substrates

*Remark:*

By client's request, the black coating on 3oz. German Boot Cup was not conducted for all chemical testing.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 3 of 14  
 Date Received: May 18, 2016

### DETAILED RESULTS:

#### CPSIA Section 101, Total Lead in Substrate Materials

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulation.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	1+2+3	4+5	6+7+8	---	---	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	---	---	100
<b>Conclusion</b>	PASS	PASS	PASS	---	---	

*Note:*

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 4 of 14  
 Date Received: May 18, 2016

### DETAILED RESULTS:

#### California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	1+2+3	4+5	6+7+8	---	---	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	ND	ND	---	---	1000
BBP	ND	ND	ND	---	---	1000
DEHP	ND	ND	ND	---	---	1000
DINP	ND	ND	ND	---	---	1000
DIDP	ND	ND	ND	---	---	1000
DnHP	ND	ND	ND	---	---	1000
<b>Conclusion</b>	PASS	PASS	PASS	---	---	

*Note:*

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate;  
 DINP = Diisononyl phthalate; DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate  
 ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)  
 LT = Less than  
 ND = Not detected (Reporting Limit = 120 ppm)  
 Composite results are based on specimen of least mass resulting in highest potential concentration.

*Remark:*

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.  
 This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.  
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 5 of 14  
 Date Received: May 18, 2016

### DETAILED RESULTS:

#### Client's Requirement: Bisphenol A and Bisphenol S

Analysis performed by Liquid Chromatography/Mass Spectrometry to determine compliance with the above specification. [Referenced Test Method: AI|ANSECO Method#]

Specimen No.	1	2	3	4	5	Limit (ppb)
Test Item	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	
Bisphenol A	ND	ND	ND	ND	ND	ND
Bisphenol S	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6	7	8	---	---	Limit (ppb)
Test Item	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	
Bisphenol A	ND	ND	ND	---	---	ND
Bisphenol S	ND	ND	ND	---	---	ND
<b>Conclusion</b>	PASS	PASS	PASS	---	---	

*Note:*

ppb (Parts per billion) = µg/kg (Micrograms per kilogram)

LT = Less than

ND = Not detected (Reporting limit = 200 ppb)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 6 of 14  
 Date Received: May 18, 2016

### DETAILED RESULTS:

#### FDA 21 CFR 175.300, Resinous and Polymeric Coatings

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 175.300#]

Specimen No.			1		
Test Item	Test Condition		Result	RL	Specification
	Temperature	Duration			
Distilled water extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
8% Ethanol extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
<b>Conclusion</b>			PASS		

Specimen No.			2		
Test Item	Test Condition		Result	RL	Specification
	Temperature	Duration			
Distilled water extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
8% Ethanol extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
<b>Conclusion</b>			PASS		

*Note:*

°F = Degree Fahrenheit  
 mg/in<sup>2</sup> = Milligrams per square inch  
 LT = Less than  
 ND = Not detected. Result value is less than reporting limit (RL).

*Remark:*

The specification is quoted from 21 CFR 175.300 (c) (3).

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein. This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited. ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.*

## TEST REPORT

Company:	Hit Promotional Products	Test Report #	16H-02678
Recipient:	Nathan Cotter	Date of Issue:	May 26, 2016
Recipient Email:	ncotter@hitpromo.net	Pages:	Page 7 of 14
cc to Email:	nbarahona@hitpromo.net	Date Received:	May 18, 2016

### DETAILED RESULTS:

#### FDA 21 CFR 175.300, Resinous and Polymeric Coatings

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 175.300#]

Specimen No.			3	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
Distilled water extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
8% Ethanol extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
<b>Conclusion</b>			PASS		

Specimen No.			4	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
Distilled water extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
8% Ethanol extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
<b>Conclusion</b>			PASS		

*Note:*

°F = Degree Fahrenheit  
 mg/in<sup>2</sup> = Milligrams per square inch  
 LT = Less than  
 ND = Not detected. Result value is less than reporting limit (RL).

*Remark:*

The specification is quoted from 21 CFR 175.300 (c) (3).

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*  
*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*  
*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*  
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 8 of 14  
 Date Received: May 18, 2016

### DETAILED RESULTS:

#### FDA 21 CFR 175.300, Resinous and Polymeric Coatings

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 175.300#]

Specimen No.			5	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
Distilled water extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
8% Ethanol extractive (mg/in <sup>2</sup> )	120°F	24 hours	ND	0.1	18
<b>Conclusion</b>			PASS		

*Note:*

°F = Degree Fahrenheit  
 mg/in<sup>2</sup> = Milligrams per square inch  
 LT = Less than  
 ND = Not detected. Result value is less than reporting limit (RL).

*Remark:*

The specification is quoted from 21 CFR 175.300 (c) (3).

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.  
 This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.  
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 9 of 14  
 Date Received: May 18, 2016

### DETAILED RESULTS:

#### FDA 21 CFR 177-189, Residual Vinyl Chloride Monomer

Analysis performed by Headspace Chromatography/Mass Spectrometry to determine compliance with the above referenced regulation. [Referenced Test Method: AI|ANSECO Method#]

Specimen No.	1	2	3	4	5	Specification (ppb)
Test Item	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	
VCM	ND	ND	ND	ND	ND	<b>10</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

*Note:*

VCM = Vinyl chloride monomer  
 ppb (Parts per billion) = 0.001 mg/kg (milligrams per kilogram)  
 LT = Less than  
 ND = Not detected (Reporting Limit = 10 ppb)

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein. This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited. ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.*

## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 10 of 14  
 Date Received: May 18, 2016

### DETAILED RESULTS:

#### FDA 21 CFR 177.1520, Polyethylene

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 177.1520]

Specimen No.			6		
Test Item	Test Condition		Result	RL	Specification
	Temperature	Duration			
Density (g/cc)	NA	NA	0.914	NA	0.85-1.00
n-Hexane extractive (% w/w)	50°C	2 hours	1.0	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	2.2	1.0	11.3
<b>Conclusion</b>			PASS		

Specimen No.			7		
Test Item	Test Condition		Result	RL	Specification
	Temperature	Duration			
Density (g/cc)	NA	NA	0.920	NA	0.85-1.00
n-Hexane extractive (% w/w)	50°C	2 hours	0.8	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	4.9	1.0	11.3
<b>Conclusion</b>			PASS		

**Note:**

°C = Degree Celcius  
 g/cc = Grams per cubic centimeter  
 % w/w = Percent by weight  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected. Result value is less than reporting limit (RL).

**Remark:**

The specification is quoted from 21 CFR 177.1520 (c) 2.1.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.  
 This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.  
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 11 of 14  
 Date Received: May 18, 2016

### DETAILED RESULTS:

#### FDA 21 CFR 177.1520, Polyethylene

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 177.1520]

Specimen No.			8		
Test Item	Test Condition		Result	RL	Specification
	Temperature	Duration			
Density (g/cc)	NA	NA	0.920	NA	0.85-1.00
n-Hexane extractive (% w/w)	50°C	2 hours	0.8	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	4.4	1.0	11.3
<b>Conclusion</b>			PASS		

*Note:*

°C = Degree Celcius  
 g/cc = Grams per cubic centimeter  
 % w/w = Percent by weight  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected. Result value is less than reporting limit (RL).

*Remark:*

The specification is quoted from 21 CFR 177.1520 (c) 2.1.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein. This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited. ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.*

## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 12 of 14  
 Date Received: May 18, 2016

### DETAILED RESULTS:

#### Canadian Consumer Products Containing Lead (Contact with Mouth) Regulation (SOR/2010-273), Total Lead in Accessible Substrates

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulation.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	1+2+3	4+5	6+7+8	---	---	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	---	---	<b>90</b>
<b>Conclusion</b>	PASS	PASS	PASS	---	---	

*Note:*

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: Hit Promotional Products  
 Recipient: Nathan Cotter  
 Recipient Email: ncotter@hitpromo.net  
 cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
 Date of Issue: May 26, 2016  
 Pages: Page 13 of 14  
 Date Received: May 18, 2016

### SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Transparent red PVC	Body (red style)
2	Transparent green PVC	Body (green style)
3	Transparent blue PVC	Body (blue style)
4	Transparent purple PVC	Body (purple style)
5	Transparent PVC	Body (clear/ 46oz. Fish Bowl Cup with Straw/ 20oz. Fish Bowl Cup with Straw/ 3oz German Boot Cup styles)
6	Translucent plastic (LDPE)	Straw (red/ green/ blue/ purple/ clear/ 46oz. Fish Bowl Cup with Straw/ 20oz. Fish Bowl Cup with Straw styles)
7	Black plastic (LDPE)	Lid (46oz. Fish Bowl Cup with Straw style)
8	White plastic (LDPE)	Lid (20oz. Fish Bowl Cup with Straw style)

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: Hit Promotional Products  
Recipient: Nathan Cotter  
Recipient Email: ncotter@hitpromo.net  
cc to Email: nbarahona@hitpromo.net

Test Report # 16H-02678  
Date of Issue: May 26, 2016  
Pages: Page 14 of 14  
Date Received: May 18, 2016

### SAMPLE PHOTO:



-End Report-

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.